haemodynamic and catecholamine reactions to microlaryngoscopy, 75
Boyaci, A. *see* Esmaoğlu, A.
Bozkurt, P. *see* Demiraran, Y.
Bracco, D. *see* Boussofara, M.
Braga Potério, G.M. *see* De Fátima De Assunção Braga, A.
Brazier, P. *see* Doyle, P.W.
Brown, M. *see* Shah, T.
Brownlow, H. & Wallace, S. A difficult intubation made more difficult, 416
Bruhn, J. *see* Röpcke, H.
Bruunsgaard, H. *see* Krabbe, K.S.
Buhre, K. *see* Buhre, W.
Buhre, W. *see* Mielck, F.
Buhre, W., Buhre, K., Kazmaier, S., Sonntag, H. & Weyland, A. Assessment of cardiac preload by indicator dilution and transoesophageal echocardiography, 662
Bullough, A. & Craig, R. Anaesthesia for the professional singer, 414
Burchardi, H. Speciality status for Intensive Care Medicine?, 67

Camu, F. *see* Sneyd, J.R.
Candiani, A. *see* Natalini, G.
Cappelleri, G. *see* Fanelli, G.
Carpenter, R.H.S. *see* Jandziol, A.K.
Carry, P.-Y. *see* Bouchut, J.-C.
Casati, A. *see* Fanelli, G.
Casati, A., Fanelli, G., Albertin, A., Deni, F., Danelli, G., Grifoni, F. & Torri, G. Small doses of remifentanil or sufentanil for blunting cardiovascular changes induced by tracheal intubation: a double-blind comparison, 108
Cashman, J.N. Sentinel lymph node biopsy: anaesthetic implications, 273
Cavaliere, S. *see* Natalini, G.
Cazzaniga, A. *see* Ranucci, M.
Chanimov, M. *see* Bahar, M.
Chevalley, C. *see* Licker, M.
Choyce, A. *see* McNeillis, N.J.D.
Chung, W.W. *see* Stowe, D.F.
Clarke, S. *see* Park, G.R.
Cluzel, P. *see* Bertrand, M.
Cohen, M.L. *see* Bahar, M.
Coles, J.P. *see* Doyle, P.W.
Cook, P.R. *see* Wisely, N.A.
Cooper, C.M.S. *see* Vadodaria, B.
Coriat, P. *see* Aubrun, F.
Coriat, P. *see* Bertrand, M.
Craig, R. *see* Bullough, A.
Cremonesi, E. *see* De Fátima De Assunção Braga, A.
Çuha, Y. *see* Esmaoğlu, A.
Cuny, R. *see* Winter, C.

Da Silva Braga, F.S. *see* De Fátima De Assunção Braga, A.
Danelli, G. *see* Casati, A.
De Fátima De Assunção Braga, A., Da Silva Braga, F.S., Braga Potério, G.M., Ramalho Filier, P. & Cremonesi, E. The effect of different doses of propofol on tracheal intubating conditions without muscle relaxant in children, 384
De Lange, S. The European Union of Medical Specialists and speciality training, 561
De Moerloose, P. *see* Ozier, Y.
De Perrot, M. *see* Licker, M.
Decoene, C. *see* Lebuffe, G.
Dehne, M.G. *see* Mühling, J.
Demesticha, T. *see* Papadimitriou, L.
Demiraran, Y., Özgön, M., Utku, T. & Bozkurt, P. Epidural anaesthesia for Caesarean section in a patient with von Hippel-Lindau disease, 330
Demiryurek, A.T. *see* Gunaydin, B.
Deni, F. *see* Casati, A.
Dercksen, B. *see* Borg, P.A.J.
Derlon, A. *see* Ozier, Y.
Dillier, C. *see* Weiss, M.
Diz, C. *see* Rodríguez, J.
Doenicke, A. *see* Sneyd, J.R.
Donner, A. *see* Holzer, A.
Döpfmer, S. *see* Döpfmer, U.R.
Döpfmer, U.R., Schenk, M.R., Kuscic, S., Beck, D.H., Döpfmer, S. & Kox, W.J. A randomized controlled double-blind trial comparing piritramide and morphine for analgesia after hysterectomy, 389
Doyle, P.W., Coles, J.P., Leary, T.M., Brazier, P. & Gupta, A.K. A comparison of remifentanil and fentanyl in patients undergoing carotid endarterectomy, 13
Dunne, J.A. *see* Shaaban-Ali, M.

Dupeyron, J.-P. *see* Winter, C.
Duvaldestin, P. *see* Motamed, C.

Edwards, N.D. *see* Strachan, A.N.
Edwards, S.M. & Williams, J.C. Tracheal cartilage fracture with the Blue Rhino Ciaglia percutaneous tracheostomy system, 487
Eicker, K. *see* Sielenkämper, A.W.
Eindhoven, G.B. *see* Borg, P.A.J.
Elliot, R.A. The economics of anaesthesia, 205
El-Metwally, R.E. *see* Atallah, M.M.
El-Mohayman, H.A. *see* Atallah, M.M.
El-Rassi, T. *see* Haroun-Bizri, S.
Engel, J. *see* Mühling, J.
Engrand, N., Van De Perre, P., Vilain, G. & Benhamou, D. Intrathecal baclofen for severe tetanus in a pregnant woman, 261
Epple, J., Kubitz, J., Schmidt, H., Motsch, J., Böttiger, B.W., Martin, E. & Bach, A. Comparative analysis of costs of total intravenous anaesthesia with propofol and remifentanil vs. balanced anaesthesia with isoflurane and fentanyl, 20
Esmaoğlu, A., Çuha, Y. & Boyaci, A. Pre-emptive efficacy of epidural fentanyl in elective abdominal surgery, 59
Evans, A. *see* Shah, T.
Ewen, I. *see* Frietsch, T.
Eyigor, M. *see* Aydin, O.N.

Fàbregas, N. & Gomar, C. Monitoring in neuroanaesthesia: update of clinical usefulness, 423
Fanelli, G. *see* Casati, A.
Fanelli, G., Casati, A., Beccaria, P., Cappelleri, G., Albertin, A. & Torri, G. Interscalene brachial plexus anaesthesia with small volumes of ropivacaine 0.75%: effects of the injection technique on the onset time of nerve blockade, 54
Fassini, P. *see* Natalini, G.
Feiss, P. Non-physician anaesthetists and who should provide anaesthesia?, 336
Felfernig, D. *see* Felfernig, M.
Felfernig, M., Blaicher, A., Kettner, S.C., Felfernig, D., Acimovic, S. & Kozek-Langenecker, S.A. Effects of temperature on partial thromboplastin time in heparinized plasma *in vitro*, 467
Fent, M.T. *see* Piper, S.N.
Filipovic, M. *see* Skarvan, K.
Fink, H. *see* Mayer, B.
Fischer, J. *see* Weiss, M.
Flaishon, R. *see* Weinbroum, A.A.
Fléron, M.-H. *see* Bertrand, M.
Fletcher, D. *see* Bouaziz, H.
Fletcher, R. *see* Smith, R.P.R.
Foccoli, P. *see* Natalini, G.
Fonsmark, L. *see* Krabbe, K.S.
Frandsen, U. *see* Krabbe, K.S.
Frank, M.D. *see* Hübler, M.
Frey, J.-G. *see* Licker, M.
Friederich, P., Benzenberg, D. & Urban, B.W. Ketamine and propofol differentially inhibit human neuronal K^+ channels, 177
Frietsch, T. & Lorentz, A. Predonation of autologous blood is jeopardized by new regulations, 629
Frietsch, T., Ewen, I. & Waschke, K.F. Anaesthetic care for sickle cell disease, 137
Frigiola, A. *see* Ranucci, M.
Fuchs, M. *see* Mühling, J.
Fujita, N. *see* Okano, N.
Fujita, S. *see* Stowe, D.F.
Fukusaki, M., Miyako, M., Nakamura, T., Miyoshi, H., Sumikawa, K., Konishi, H. & Hara, S. Perineural injection to nerve root and radicular blood flow: a clinical study during spinal surgery, 70
Furuya, A. *see* Kashimoto, S.
Furuya, A., Kume, M., Kashimoto, S. & Kumazawa, T. Effects of cibenzoline on cardiac function and metabolism in the rat heart–lung preparation, 184
Furuya, A., Matsukawa, T., Ozaki, M., Nishiyama, T., Kume, M. & Kumazawa, T. Intravenous ketamine attenuates arterial pressure changes during the induction of anaesthesia with propofol, 88
Furuya, H. *see* Inoue, S.
Furuya, H. *see* Inoue, S.

Gabriel, H. *see* Heine, G.
Gentili, M.E. Anaesthesia and non-physician anaesthetists: what are the real needs for which kind of health policy?, 336
Gentili, M.E. *see* Bouaziz, H.
Gerber, A.C. *see* Weiss, M.
Gill, P.S., Shah, J. & Ogilvy, A. Midazolam reduces the dose of propofol required for induction of anaesthesia and laryngeal mask airway insertion, 166

Gillies, M.A.M. & Baldwin, F.J. Do patient information booklets increase perioperative anxiety?, 620
Girard, F. *see* Bouaziz, H.
Glavin, R. *see* Millar, F.A.
Godet, G. *see* Bertrand, M.
Goeters, C., Reinhardt, C., Gronau, E., Wüsten, R., Prien, T., Baum, J., Vrana, S. & Van Aken, H. Minimal flow sevoflurane and isoflurane anaesthesia and impact on renal function, 43
Gomar, C. *see* Fàbregas, N.
Gombar, K.K. *see* Mitra, S.
Gombar, S. *see* Mitra, S.
Goodman, N.W. Why do anaesthesia journals publish editorials?, 703
Gothard, J. *see* Williams, H.
Goto, F. *see* Okano, N.
Goto, F. *see* Sato, J.
Grau, T., Leipold, R.W., Horter, J., Martin, E. & Motsch, J. Colour Doppler imaging of the interspinous and epidural space, 706
Greher, M. *see* Holzer, A.
Grifoni, F. *see* Casati, A.
Grimsehl, K. *see* Kapur, D.
Grinshpon, Y. *see* Bahar, M.
Gronau, E. *see* Goeters, C.
Guay, J. *see* Ozier, Y.
Gunaydin, B. & Demiryurek, A.T. Interaction of lidocaine with reactive oxygen and nitrogen species, 816
Güneş, Y. *see* Özcengiz, D.
Gupta, A.K. *see* Doyle, P.W.
Gupta, S., Richardson, J. & Pugh, M. Negative pressure pulmonary oedema after cryotherapy for tracheal obstruction, 189

Hahnenkamp, K. *see* Hönemann, C.W.
Hakenberg, O.W. *see* Hübler, M.
Hansen, C.M. *see* Krabbe, K.S.
Hansen, E.G. *see* Wetterslev, J.
Hapfelmeier, G., Schneck, H. & Kochs, E. Sevoflurane potentiates and blocks GABA-induced currents through recombinant $\alpha_1\beta_2\gamma_2$ $GABA_A$ receptors: implications for an enhanced GABAergic transmission, 377
Hara, S. *see* Fukusaki, M.
Haranishi, Y. *see* Uchida, K.
Harmer, M. *see* Shaaban-Ali, M.
Harmon, D. *see* Stack, D.
Haroun-Bizri, S. & El-Rassi, T. Successful resuscitation after catastrophic carbon dioxide embolism during laparoscopic cholecystectomy, 118
Hartmann, B. *see* Junger, A.
Hartstein, G. *see* Janssens, M.
Hassiakos, D. *see* Papadimitriou, L.
Hayat, M. *see* Yusim, Y.
Heine, G., Gabriel, H., Weindler, J., Ruprecht, K.W. & Kindermann, W. Painful regional anaesthesia induces an immunological stress reaction: the model of retrobulbar anaesthesia, 505
Heinzl, H. *see* Holzer, A.
Heisner, J.S. *see* Stowe, D.F.
Helmers, J.H.J.H. *see* Sneyd, J.R.
Hempelmann, G. *see* Junger, A.
Hempelmann, G. *see* Krumholz, W.
Hempelmann, G. *see* Mühling, J.
Heslet, L. *see* Wetterslev, J.
Hetz, H. *see* Holzer, A.
Ho, A.M.-H. Awareness' and 'recall' during emergence from general anaesthesia, 623
Hoeft, A. *see* Mielck, F.
Hoeft, A. *see* Röpcke, H.
Holgersen, O. *see* Sneyd, J.R.
Holzer, A., Greher, M., Hetz, H., Standhardt, H., Donner, A., Heinzl, H., Zimpfer, M. & Illievich, U.M. Influence of aortic blood flow velocity on changes of middle cerebral artery blood flow velocity during isoflurane and sevoflurane anaesthesia, 238
Hönemann, C.W., Hahnenkamp, K., Möllhoff, T. & Baum, J.A. Minimal-flow anaesthesia with controlled ventilation: comparison between laryngeal mask airway and endotracheal tube, 458
Horter, J. *see* Grau, T.
Hosie, L., Wood, J.P. & Thomas, A.N. Vasovagal syncope and anaesthetic practice, 554
Hübler, M. *see* Litz, R.J.
Hübler, M., Litz, R.J., Sengebusch, K.H., Kreinecker, I., Frank, M.D., Hakenberg, O.W. & Albrecht, D.M. A comparison of five solutions of local anaesthetics and/or sufentanil for continuous, postoperative epidural analgesia after major urological surgery, 450
Hueller, M. *see* Meisner, M.

Huettemann, E. *see* Meisner, M.
Hutchison, G.L. *see* Millar, F.A.
Hüttner, I. *see* Piper, S.N.

Ickx, B. *see* Ozier, Y.
Illievich, U.M. *see* Holzer, A.
Inoue, S., Kuro, M. & Furuya, H. What factors are associated with hyperlactatemia after cardiac surgery characterized by well-maintained oxygen delivery and a normal postoperative course? A retrospective study, 576
Inoue, S., Takauchi, Y., Kayamori, Y., Kuro, M. & Furuya, H. Propofol as a continuous infusion during cardiopulmonary bypass does not affect changes in serum free fatty acids, 113
Iohom, G. & Lyons, B. Anaesthesia for children with epidermolysis bullosa: a review of 20 years' experience, 745
Iohom, G. *see* Swanton, B.J.
Işik, G. *see* Özcengiz, D.
Isgrò, G. *see* Ranucci, M.

Jaeger, K. *see* Ruschulte, H.
Jalbout, M.I. *see* Baraka, A.S.
Jandziol, A.K., Prabhu, M., Carpenter, R.H.S. & Jones, J.G. Blink duration as a measure of low-level anaesthetic sedation, 476
Janssens, M. & Hartstein, G. Management of difficult intubation, 3
Järvelä, K. & Kaukinen, S. Hypertonic saline (7.5%) after coronary artery bypass grafting, 100
Johansson, A., Lundberg, D. & Luttropp, H.H. Low-flow anaesthesia with desflurane: kinetics during clinical procedures, 499
Jones, J.G. *see* Jandziol, A.K.
Junger, A., Klasen, J., Benson, M., Sciuk, G., Hartmann, B., Sticher, J. & Hempelmann, G. Factors determining length of stay of surgical day-case patients, 314

Kadoi, Y. *see* Okano, N.
Kadry, M.A. & Popat, M.T. Lingual nerve injury after use of a cuffed oropharyngeal airway, 264
Kanstrup, I.L. *see* Wetterslev, J.
Kapur, D. & Grimsehl, K. A comparison of cerebrospinal fluid pressure and block height following spinal anaesthesia in the right and left lateral position in pregnant women undergoing Caesarean section, 668
Kashimoto, S. *see* Furuya, A.
Kashimoto, S., Furuya, A., Kume, M., Yamaguchi, T. & Kumazawa, T. Effects of glibenclamide on hydroxyl radical formation in the postischaemic reperfused heart with or without inhalation anaesthetics, 811
Kathirvel, S., Podder, S., Batra, Y.K., Malhotra, N. & Mahajan, R. Severe life threatening reaction to Haemaccel® in a patient with bronchial asthma, 122
Katsaros, G. *see* Papadimitriou, L.
Kaukinen, S. *see* Järvelä, K.
Kayamori, Y. *see* Inoue, S.
Kazmaier, S. *see* Buhre, W.
Keidan, I. *see* Yusim, Y.
Keller, G. *see* Krumholz, W.
Kettner, S.C. *see* Felfernig, M.
Kieffer, E. *see* Bertrand, M.
Kim, P. *see* Okuda, Y.
Kindermann, W. *see* Heine, G.
Kirov, K. *see* Motamed, C.
Kitajima, T. *see* Okuda, Y.
Kjellberg, F. & Tramèr, M.R. Pharmacological control of opioid-induced pruritus: a quantitative systematic review of randomized trials, 346
Klasen, J. *see* Junger, A.
Kloppenburg, H. *see* Sielenkämper, A.W.
Knauth, M. *see* Schäbitz, W.R.
Kochs, E. *see* Hapfelmeier, G.
Konishi, H. *see* Fukusaki, M.
Korfali, G. *see* Yavaşcaoğlu, B.
Koskas, F. *see* Bertrand, M.
Kotsev, S. & Morais, R.J. High spinal block for bronchospasm, 487
Koussi, T. *see* Papadimitriou, L.
Kox, W.J. *see* Döpfmer, U.R.
Kozek-Langenecker, S.A. *see* Felfernig, M.
Krabbe, K.S., Bruunsgaard, H., Qvist, J., Hansen, C.M., Møller, K., Fonsmark, L., Madsen, P.L., Kronborg, G., Frandsen, U., Andersen, H.Ø., Skinhøj, P. & Pedersen, B.K. Hypotension during endotoxemia in aged humans, 572
Kreinecker, I. *see* Hübler, M.
Kreinecker, I. *see* Litz, R.J.
Kronborg, G. *see* Krabbe, K.S.

Krüll, M. *see* Mühling, J.
Krumholz, W., Weidenbusch, H., Menges, T., Keller, G. & Hempelmann, G. The influence of intravenous anaesthetics on the activity of enzymes released from polymorphonuclear leucocytes *in vitro*, 151
Kubitz, J. *see* Epple, J.
Kujansuu, E. *see* Rorarius, M.G.F.
Kumazawa, T. *see* Furuya, A.
Kumazawa, T. *see* Furuya, A.
Kumazawa, T. *see* Kashimoto, S.
Kume, M. *see* Furuya, A.
Kume, M. *see* Furuya, A.
Kume, M. *see* Kashimoto, S.
Kuro, M. *see* Inoue, S.
Kuro, M. *see* Inoue, S.
Kuroda, Y. *see* Uchida, K.
Kuscic, S. *see* Döpfmer, U.R.

Läer, C. *see* Läer, S.
Läer, S., Scholz, J., Ritterbach, C., Läer, C., Rahme, E. & Schulte Am Esch, J. Association between increased 5-HIAA plasma concentrations and postoperative nausea and vomiting in patients undergoing general anaesthesia for surgery, 833
Laippala, P. *see* Rorarius, M.G.F.
Lambert, A. *see* Skarvan, K.
Langer, F., Wendler, O., Wilhelm, W., Tscholl, D. & Schäfers, H.-J. Treatment of a case of acute right heart failure by inhalation of iloprost, a long-acting prostacyclin analogue, 770
Langeron, O. *see* Aubrun, F.
Latto, I.P. *see* Shaaban-Ali, M.
Laxenaire, M.C. *see* Bouaziz, H.
Leary, T.M. *see* Doyle, P.W.
Lebrun, T. *see* Van Elstraete, A.C.
Lebuffe, G., Decoene, C., Raingeval, X., Lokey, J.S., Pol, A., Warembourg, H. & Vallet, B. Pilot study with air-automated sigmoid capnometry in abdominal aortic aneurysm surgery, 585
Ledowski, T. & Wulf, H. The influence of fentanyl vs. *s*-ketamine on intubating conditions during induction of anaesthesia with etomidate and rocuronium, 519
Leipold, R.W. *see* Grau, T.
Lepape, A. *see* Bouchut, J.-C.
Licker, M., Spiliopoulos, A., Frey, J.-G., De Perrot, M., Chevalley, C. & Tschopp, J.-M. Management and outcome of patients undergoing thoracic surgery in a regional chest medical center, 540
Lisander, B. *see* Abildgaard, L.
Litscher, G. & Schwarz, G. Noninvasive bioelectrical neuromonitoring in anaesthesia and critical care, 785
Litz, R.J. *see* Hübler, M.
Litz, R.J., Kreinecker, I., Hübler, M. & Albrecht, D.M. Inadvertent infusion of a high dose of potassium chloride via a thoracic epidural catheter, 697
Livanios, S. *see* Papadimitriou, L.
Lohs, T. *see* Meisner, M.
Lokey, J.S. *see* Lebuffe, G.
López-Rivadulla, M. *see* Rodríguez, J.
Lorentz, A. *see* Frietsch, T.
Lundberg, D. *see* Johansson, A.
Lundberg, J. *see* Persson, K.
Luttropp, H.H. *see* Johansson, A.
Lyons, B. *see* Iohom, G.

Madsen, P.L. *see* Krabbe, K.S.
Mahajan, R. *see* Kathirvel, S.
Maleck, W. *see* Boldt, J.
Maleck, W.H. *see* Piper, S.N.
Malhotra, N. *see* Kathirvel, S.
Mann, C. *see* Sneyd, J.R.
Martin, E. *see* Epple, J.
Martin, E. *see* Grau, T.
Mastumoto, S. *see* Asai, T.
Matsukawa, T. *see* Furuya, A.
Matsumoto, M. *see* Uchida, K.
Matsumoto, T. *see* Okuda, Y.
Mayer, B., Fink, H., Bogdanski, R., Stadler, J. & Blobner, M. Inflammatory liver disease shortens atracurium-induced neuromuscular blockade in rats, 599
Mazoit, J.X. *see* Bouaziz, H.
McNeillis, N.J.D., Timberlake, C., Avidan, M.S., Sarang, K., Choyce, A. & Radcliffe, J.J. Fibreoptic views through the laryngeal mask and the intubating laryngeal mask, 471
Mehdaoui, H. *see* Van Elstraete, A.C.

Meier-Theile, C. *see* Mielck, F.
Meinck, H.M. *see* Schäbitz, W.R.
Meisner, M., Lohs, T., Huettemann, E., Schmidt, J., Hueller, M. & Reinhart, K. The plasma elimination rate and urinary secretion of procalcitonin in patients with normal and impaired renal function, 79
Menges, T. *see* Krumholz, W.
Menicanti, L. *see* Ranucci, M.
Meyer, J. *see* Sielenkämper, A.W.
Mielck, F., Wietasch, G., Weyland, A., Buhre, W., Meier-Theile, C., Hoeft, A. & Sonntag, H. Reliability of cerebral blood flow measurements by transcerebral double-indicator dilution technique, 653
Miettinen, A. *see* Rorarius, M.G.F.
Millar, F.A., Hutchison, G.L. & Glavin, R. Gum elastic bougie, capnography and apnoeic oxygenation, 51
Miller, D.M., Youkhana, I. & Pearce, A.C. The laryngeal mask and VBM laryngeal tube compared during spontaneous ventilation. A pilot study, 593
Mitra, S., Gombar, K.K. & Gombar, S. The effect of rocuronium on intraocular pressure: a comparison with succinylcholine, 836
Miyako, M. *see* Fukusaki, M.
Miyoshi, H. *see* Fukusaki, M.
Møller, K. *see* Krabbe, K.S.
Möllhoff, T. *see* Hönemann, C.W.
Monsel, S. *see* Aubrun, F.
Morais, R.J. *see* Kotsev, S.
Motamed, C., Kirov, K. & Duvaldestin, P. Observations with the TOF-Watch/Guard® on train-of-four fade during onset of relaxation, 267
Motsch, J. *see* Epple, J.
Motsch, J. *see* Grau, T.
Mühling, J., Fuchs, M., Sablotzki, A., Krüll, M., Ogal, H.P., Weiss, S., Dehne, M.G., Engel, J. & Hempelmann, G. Methohexital affects neutrophil (PMN) dynamic free amino acid pool and immune functions *in vitro*, 366

Nagels, W. & Absalom, A. Use of remifentanil for major abdominal surgery, 64
Nakakimura, K. *see* Uchida, K.
Nakamura, T. *see* Fukusaki, M.
Natalini, G., Seramondi, V., Fassini, P., Foccoli, P., Toninelli, C., Cavaliere, S. & Candiani, A. Acute respiratory acidosis does not increase plasma potassium in normokalaemic anaesthetized patients. A controlled randomized trial, 394
Nathan, N. *see* Ozier, Y.
Nathan, N. *see* Tecoult, E.
Nishiyama, T. *see* Furuya, A.
Noronha, D. *see* Sneyd, J.R.
Norris, A., Scerri, A. & Powell, M. Quality of anaesthesia for insertion of tension-free vaginal tape using local analgesia and sedation, 755

Ogal, H.P. *see* Mühling, J.
Ogilvy, A. *see* Gill, P.S.
Ogorek, D. *see* Weinbroum, A.A.
Okano, N., Fujita, N., Kadoi, Y., Saito, S. & Goto, F. Disturbances in hepatocellular function during cardiopulmonary bypass using propofol anaesthesia, 798
Okuda, Y., Matsumoto, T., Shinohara, M., Kitajima, T. & Kim, P. Sudden unconsciousness during a lesser occipital nerve block in a patient with the occipital bone defect, 829
Ozaki, M. *see* Furuya, A.
Özalevli, M. *see* Özcengiz, D.
Özcengiz, D., Güneş, Y., Özalevli, M. & Işik, G. Postoperative analgesia in children: comparison of bupivacaine with a mixture of bupivacaine and alfentanil, 695
Özgön, M. *see* Demiraran, Y.
Ozier, Y., Steib, A., Ickx, B., Nathan, N., Derlon, A., Guay, J. & De Moerloose, P. Haemostatic disorders during liver transplantation, 208

Panning, B. *see* Ruschulte, H.
Papadimitriou, L., Livanios, S., Katsaros, G., Hassiakos, D., Koussi, T. & Demesticha, T. Prevention of postoperative nausea and vomiting after laparoscopic gynaecological surgery. Combined antiemetic treatment with tropisetron and metoclopramide vs. metoclopramide alone, 615
Park, G.R. & Clarke, S. Some is good and more is bad: getting the dose right in the critically ill, 343
Pastureau, F. *see* Van Elstraete, A.C.
Pearce, A.C. *see* Miller, D.M.
Pedersen, B.K. *see* Krabbe, K.S.
Perel, A. *see* Yusim, Y.

Péronnet, D. Non-physician anaesthetists: can we agree on their role in Europe?, 338
Persson, K. & Lundberg, J. Perioperative hypothermia and postoperative opioid requirements, 679
Piper, S.N., Triem, J.G., Maleck, W.H., Fent, M.T., Hüttner, I. & Boldt, J. Placebo-controlled comparison of dolasetron and metoclopramide in preventing postoperative nausea and vomiting in patients undergoing hysterectomy, 251
Podder, S. *see* Kathirvel, S.
Pol, A. *see* Lebuffe, G.
Pollard, B.J. & Pomfrett, C.J.D. Delta sleep-inducing peptide, 419
Pomfrett, C.J.D. *see* Pollard, B.J.
Popat, M.T. *see* Kadry, M.A.
Powell, M. *see* Norris, A.
Prabhu, M. *see* Jandziol, A.K.
Prien, T. *see* Goeters, C.
Pugh, M. *see* Gupta, S.
Puri, G.D. Is PEEP, truly a PEEP?, 125

Quintela, O. *see* Rodríguez, J.
Qvist, J. *see* Krabbe, K.S.

Rachid-Chehab, I. *see* Baraka, A.S.
Radcliffe, J.J. *see* McNeillis, N.J.D.
Rahme, E. *see* Läer, S.
Raingeval, X. *see* Lebuffe, G.
Ramalho Filier, P. *see* De Fátima De Assunção Braga, A.
Ranucci, M., Frigiola, A., Menicanti, L., Cazzaniga, A., Soro, G. & Isgrò, G. Risk factors for fatal myocardial infarction after coronary bypass graft surgery, 322
Ravussin, P. *see* Boussofara, M.
Redmond, H.P. *see* Swanton, B.J.
Reinhardt, C. *see* Goeters, C.
Reinhart, K. *see* Meisner, M.
Reyle-Hahn, S.M. *see* Schulz-Stübner, S.
Richardson, J. *see* Gupta, S.
Riou, B. *see* Aubrun, F.
Ritterbach, C. *see* Läer, S.
Rizk, M.S. *see* Baraka, A.S.
Rodríguez, J., Quintela, O., López-Rivadulla, M., Bárcena, M., Diz, C. & Álvarez, J. High doses of mepivacaine for brachial plexus block in patients with end-stage chronic renal failure. A pilot study, 171
Roikjaer, O. *see* Wetterslev, J.
Röpcke, H., Wirz, S., Bouillon, T., Bruhn, J. & Hoeft, A. Pharmacodynamic interaction of nitrous oxide with sevoflurane, desflurane, isoflurane and enflurane in surgical patients: measurements by effects on EEG median power frequency, 440
Rorarius, M.G.F., Kujansuu, E., Baer, G.A., Suominen, P., Teisala, K., Miettinen, A., Ylitalo, P. & Laippala, P. Laparoscopically assisted vaginal and abdominal hysterectomy: comparison of postoperative pain, fatigue and systemic response. A case-control study, 530
Rossaint, R. *see* Schulz-Stübner, S.
Ruprecht, K.W. *see* Heine, G.
Ruschulte, H., Panning, B. & Jaeger, K. Control of central venous catheter position, 485

Sablotzki, A. *see* Mühling, J.
Saito, S. *see* Okano, N.
Saito, S. *see* Sato, J.
Sakabe, T. *see* Uchida, K.
Sarang, K. *see* McNeillis, N.J.D.
Saruki, N. *see* Sato, J.
Sato, J., Saito, S., Takahashi, T., Saruki, N., Tozawa, R. & Goto, F. Sevoflurane and nitrous oxide anaesthesia suppresses heart rate variabilities during deliberate hypotension, 805
Scerri, A. *see* Norris, A.
Schäbitz, W.R., Berger, C., Knauth, M., Meinck, H.M. & Steiner, T. Hypoxic brain damage after intramuscular self-injection of diclofenac for acute back pain, 763
Schäfers, H.-J. *see* Langer, F.
Schenk, M.R. *see* Döpfmer, U.R.
Scherpereel, P.A. & Tavernier, B. Perioperative care of diabetic patients, 277
Schmidt, H. *see* Epple, J.
Schmidt, J. *see* Meisner, M.
Schmidt-Mutter, C. *see* Winter, C.
Schneck, H. *see* Hapfelmeier, G.
Scholz, J. *see* Läer, S.
Schulte Am Esch, J. *see* Läer, S.
Schulz-Stübner, S., Wettmann, G., Reyle-Hahn, S.M. & Rossaint, R. Magnesium as part of balanced general anaesthesia with propofol, remifentanil and mivacurium: a double-blind, randomized prospective study in 50 patients, 723

Schummer, C. *see* Schummer, W.
Schummer, W. & Schummer, C. Pericardial tamponade as a delayed complication of central venous catheterization, 780
Schwarz, G. *see* Litscher, G.
Schwarz, U. *see* Weiss, M.
Sciuk, G. *see* Junger, A.
Seeberger, M. *see* Skarvan, K.
Sengebusch, K.H. *see* Hübler, M.
Şenkaya, I. *see* Yavaşcaoğlu, B.
Seramondi, V. *see* Natalini, G.
Shaaban-Ali, M., Harmer, M., Vaughan, R.S., Dunne, J.A. & Latto, I.P. Changes in jugular bulb oxygenation in patients undergoing warm coronary artery bypass surgery (34–37°C), 93
Shah, J. *see* Gill, P.S.
Shah, T., Evans, A. & Brown, M. Rapid glycine absorption secondary to pressurization of irrigation fluid during transcervical endometrial resection, 197
Shingu, K. *see* Asai, T.
Shingu, K. *see* Asai, T.
Shinohara, M. *see* Okuda, Y.
Shorten, G.D. *see* Awad, I.T.
Shorten, G.D. *see* Swanton, B.J.
Sielenkämper, A.W., Meyer, J., Kloppenburg, H., Eicker, K. & Van Aken, H. The effects of sepsis on gut mucosal blood flow in rats, 673
Skarvan, K., Lambert, A., Filipovic, M. & Seeberger, M. Reference values for left ventricular function in subjects under general anaesthesia and controlled ventilation assessed by two-dimensional transoesophageal echocardiography, 713
Skinhøj, P. *see* Krabbe, K.S.
Smith, R.P.R. & Fletcher, R. Pressure-controlled inverse ratio ventilation after cardiac surgery, 401
Sneyd, J.R., Camu, F., Doenicke, A., Mann, C., Holgersen, O., Helmers, J.H.J.H., Appelgren, L., Noronha, D. & Upadhyaya, B.K. Remifentanil and fentanyl during anaesthesia for major abdominal and gynaecological surgery. An open, comparative study of safety and efficacy, 605
Sonntag, H. *see* Buhre, W.
Sonntag, H. *see* Mielck, F.
Soro, G. *see* Ranucci, M.
Soulas, S. *see* Winter, C.
Spiliopoulos, A. *see* Licker, M.
Stack, D. & Harmon, D. Use of 10% lidocaine in the cuff of the endotracheal tube, 124
Stadler, J. *see* Mayer, B.
Standhardt, H. *see* Holzer, A.
Steib, A. *see* Ozier, Y.
Steib, A. *see* Winter, C.
Steiner, T. *see* Schäbitz, W.R.
Sticher, J. *see* Junger, A.
Stowe, D.F., Heisner, J.S., Chung, W.W. & Fujita, S. Volatile anaesthetics restore bradykinin and serotonin-induced coronary vasodilation after blocking nitric oxide synthase: lack of anaesthetic effects on K_{ATP} channels and prostaglandin pathways, 219
Strachan, A.N. & Edwards, N.D. Anaesthesia for stent graft repair of thoracic aneurysm and coarctation of the aorta, 759
Stuart, C. *see* Borg, P.A.J.
Sumikawa, K. *see* Fukusaki, M.
Suominen, P. *see* Rorarius, M.G.F.
Swanton, B.J., Iohom, G., Wang, J.H., Redmond, H.P. & Shorten, G.D. The effect of lidocaine on neutrophil respiratory burst during induction of general anaesthesia and tracheal intubation, 524
Szold, O. *see* Weinbroum, A.A.
Szulc, R. Professor Witold Jurczyk MD PhD on his 70th birthday: an appreciation, 192

Taha, S.K. *see* Baraka, A.S.
Takahashi, T. *see* Sato, J.
Takauchi, Y. *see* Inoue, S.
Tavernier, B. *see* Scherpereel, P.A.
Tecoult, E. & Nathan, N. Morbidity in electroconvulsive therapy, 511
Teisala, K. *see* Rorarius, M.G.F.
Thomas, A.N. *see* Hosie, L.
Timberlake, C. *see* McNeillis, N.J.D.
Toninelli, C. *see* Natalini, G.
Torri, G. *see* Casati, A.
Torri, G. *see* Fanelli, G.
Tozawa, R. *see* Sato, J.
Tramèr, M.R. CONSORT, QUOROM, and structured abstracts – new rules for authors, new tools for readers, 1
Tramèr, M.R. *see* Kjellberg, F.
Tramèr, M.R. *see* Walder, B.

Triem, J.G. *see* Piper, S.N.
Tscholl, D. *see* Langer, F.
Tschopp, J.-M. *see* Licker, M.

Uchida, K., Nakakimura, K., Kuroda, Y., Haranishi, Y., Matsumoto, M. & Sakabe, T. Dizocilpine but not ketamine reduces the volume of ischaemic damage after acute subdural haematoma in the rat, 295
Upadhyaya, B.K. *see* Sneyd, J.R.
Urban, B.W. *see* Friederich, P.
Urban, B.W. *see* Wartenberg, H.C.
Utku, T. *see* Demiraran, Y.

Vadodaria, B. & Cooper, C.M.S. The anaesthetic management of a case of severe upper airways obstruction due to an enlarging subglottic benign polyp, 766
Vallet, B. *see* Lebuffe, G.
Van Aken, H. *see* Goeters, C.
Van Aken, H. *see* Sielenkämper, A.W.
Van De Perre, P. *see* Engrand, N.
Van Der Linden, P. Transfusion strategy, 495
Van Elstraete, A.C., Pastureau, F., Lebrun, T. & Mehdaoui, H. Neostigmine added to lidocaine axillary plexus block for postoperative analgesia, 257
Vaughan, R.S. *see* Shaaban-Ali, M.
Vilain, G. *see* Engrand, N.
Vrana, S. *see* Goeters, C.

Walder, B., Tramèr, M.R. & Blois, R. The effects of two single doses of tramadol on sleep: a randomized, cross-over trial in healthy volunteers, 36
Wallace, S. *see* Brownlow, H.
Wang, J.H. *see* Swanton, B.J.
Wappler, F. Malignant hyperthermia, 632
Warembourg, H. *see* Lebuffe, G.
Wartenberg, H.C., Wartenberg, J.P. & Urban, B.W. Human cardiac sodium channels are affected by pentobarbital, 306
Wartenberg, J.P. *see* Wartenberg, H.C.
Waschke, K.F. *see* Frietsch, T.
Weidenbusch, H. *see* Krumholz, W.
Weinbroum, A.A., Szold, O., Ogorek, D. & Flaishon, R. The midazolam-induced paradox phenomenon is reversible by flumazenil. Epidemiology, patient characteristics and review of the literature, 789
Weindler, J. *see* Heine, G.
Weiss, M., Schwarz, U., Dillier, C., Fischer, J. & Gerber, A.C. Use of the intubating laryngeal mask in children: an evaluation using video-endoscopic monitoring, 739
Weiss, S. *see* Mühling, J.
Weissgarten, J. *see* Bahar, M.
Wendler, O. *see* Langer, F.
Wetterslev, J., Hansen, E.G., Roikjaer, O., Kanstrup, I.L. & Heslet, L. Optimizing peroperative compliance with PEEP during upper abdominal surgery: effects on perioperative oxygenation and complications in patients without preoperative cardiopulmonary dysfunction, 358
Wettmann, G. *see* Schulz-Stübner, S.
Weyland, A. *see* Buhre, W.
Weyland, A. *see* Mielck, F.
Whitaker, D.K. Transfusion strategy, 493
Wietasch, G. *see* Mielck, F.
Wilhelm, W. *see* Langer, F.
Williams, H. & Gothard, J. Jet ventilation via a Univent tube for sleeve pneumonectomy, 407
Williams, J.C. *see* Edwards, S.M.
Winter, C., Schmidt-Mutter, C., Cuny, R., Soulas, S., Dupeyron, J.-P. & Steib, A. Fatal form of phaeochromocytoma presenting as acute pyelonephritis, 548
Wirz, S. *see* Röpcke, H.
Wisely, N.A. & Cook, P.R. General anaesthesia in a man with mitochondrial myopathy undergoing eye surgery, 333
Wood, J.P. *see* Hosie, L.
Wulf, H. *see* Ledowski, T.
Wüsten, R. *see* Goeters, C.

Yamaguchi, T. *see* Kashimoto, S.
Yavaşcaoğlu, B., Yilmazlar, A., Korfali, G. & Şenkaya, I. Pericardial tamponade as a delayed lethal complication of central venous catheterization, 488
Yilmazlar, A. *see* Yavaşcaoğlu, B.
Ylitalo, P. *see* Rorarius, M.G.F.
Youkhana, I. *see* Miller, D.M.
Yusim, Y., Berkenstadt, H., Keidan, I., Hayat, M. & Perel, A. Malignant hyperinflation of the nondependent lung during chest surgery, 774

Zimpfer, M. *see* Holzer, A.

Keyword Index

ACID BASE BALANCE, LACTATES
lactic acid, 576
ACID-BASE IMBALANCE, ACIDOSIS
lactic, 576
ACIDOSIS
acidosis, respiratory, 394
ADJUVANTS, ANAESTHESIA
fentanyl, 13, 384
remifentanil, 13
ADRENERGIC ALPHA-AGONISTS
clonidine, 75
AIRWAY OBSTRUCTION, 3
ALKALOIDS
ryanodine, 632
AMINO ACID NEUROTRANSMITTERS
excitatory amino acids, 295
AMINO ACIDS, 366
AMMONIUM COMPOUNDS
neostigmine, 303
ANAESTHESIA, 277
anaesthetic techniques, 137
closed-circuit, 458
epidural, 358
general, 306, 620, 713
intratracheal, 730
malignant hyperthermia, 632
peroperative complications, 632
ANAESTHESIA AND ANALGESIA, 745
anaesthesia recovery period, 755
conscious sedation, 476, 755
neuromuscular blockade, 599
ANAESTHESIA, CONDUCTION
anaesthesia, 505
anaesthesia spinal, 668
brachial plexus, 54
local, 505
nerve block, 54, 829
spinal, 231
ANAESTHESIA, GENERAL, 219, 333, 384, 407, 623, 679, 759
anaesthesia inhalation, 394
closed-circuit, 43
inhalation, 43
propofol, 20, 505
remifentanil, 20
ANAESTHESIA GENERAL, ANAESTHESIA INHALATION
isoflurane, 358
ANAESTHESIA INTRAVENOUS, 723
ANAESTHESIA, LOCAL
brachial plexus, 171
ANAESTHESIA RECOVERY PERIOD, 20, 476
ANAESTHESIA TECHNIQUES
co-induction, 166
epidural anaesthesia 706
spinal anaesthesia 706
ANAESTHETIC
intravenous, 306
ANAESTHETIC ACTION
channel block, 377
ANAESTHETICS
ketamine, 29
midazolam, 29
propofol, 113
ANAESTHETICS DISSOCIATIVE
s-ketamine, 519
ANAESTHETICS GENERAL, ANAESTHETICS INTRAVENOUS
etomidate, 519
fentanyl, 519
ANAESTHETICS, INHALATION
desflurane, 440
halothane, 632
isoflurane, 440, 811
nitrus oxide, 440
sevoflurane, 440, 805, 811
ANAESTHETICS, INHALATIONAL
halothane, 219
isoflurane, 219, 238
sevoflurane, 108, 219, 238, 476
ANAESTHETICS, INTRAVENOUS, 789
etomidate, 151
fentanyl, 384, 605
ketamine, 88, 151, 177
methohexital, 151, 366
propofol, 88, 177, 384, 798
remifentanil, 605
thiopental, 524
ANAESTHETICS, LOCAL
amide, 524
bupivacaine, 358, 450, 687

© 2001 European Academy of Anaesthesiology

lidocaine, 524, 687, 816
prilocaine, 687
ropivacaine, 54, 450, 687
ANAESTHETICS, VOLATILE
desflurane, 499
ANAESTHETIC MECHANISMS
K channels, 177
ANAESTHETIC TECHNIQUES
brachial plexus block, 257
infusion, 29
ANALGESIA, 137
adverse drug reactions, 36
epidural, 59, 450
opioid, 36
postoperative, 257, 679
ANALGESIA, PATIENT-CONTROLLED, 389
ANALGESICS
fentanyl, 151
ketamine, 295
ketobemidone, 679
morphine, 151, 159
non-narcotic, 303
opiod, 679
ANALGESICS, NARCOTICS
remifentanil, 108
sufentanil, 108
ANALGESICS, OPIOID
fentanyl, 59
morphine, 389
pirinitramide, 389
ANEURYSM
aortic, 245
ANIMALS
rats, 184
ANIMALS, MODEL, 673
ANOXAEMIA, 358
ANOXIA, 763
ANTI-ANXIETY AGENTS
benzodiazepine, 261, 789
diazepam, 261
midazolam, 789
ANTICOAGULANTS
heparin, 322, 467
ANTIEMETICS
dolasetron, 251
metoclopramide, 251, 615
tropisetron, 615
ANTIFIBRINOLYTIC AGENTS, 208
ANTI-INFLAMMATORY AGENTS, NON-STEROIDAL
diclofenac, 763
AORTIC ANEURYSM
abdominal, 585
AORTIC ANEURYSM, THORACIC, 759
ASPIRATION, 511
ATELECTASIS, 358
AUTONOMIC NERVOUS SYSTEM DISEASES, 277

BARBITURATES
methohexital, 366
pentobarbital, 306
BEHAVIOUR AND BEHAVIOURAL MECHANISMS, EMOTIONS
anxiety, 620
hostility, 789
BENZODIAZEPINONES
flumazenil, 789
midazolam, 789
BIOLOGICAL MARKERS, 530
BLOOD CELLS
leukocytes, 816
BLOOD CIRCULATION
cerebrovascular circulation, 653
coronary circulation, 219
microcirculation, 673
BLOOD COAGULATION DISORDERS
disseminated intravascular coagulation, 410
pregnancy complications, 410
BLOOD COAGULATION TESTS, 208
partial thromboplastin time, 467
BODY REGIONS
back, 823
BLOOD TRANSFUSION, 208
autologous blood transfusion, 495, 823
blood component transfusion, 495, 823
erythrocyte transfusion, 495
BODY TEMPERATURE CHANGES
hypothermia, 679
BRAIN DAMAGE, CHRONIC
brain injury, 763
chronic, 763

CARDIAC SURGICAL PROCEDURES
myocardial revascularization, 322
CARDIOVASCULAR, EMBOLISM
amniotic fluid, 410

© 2001 European Academy of Anaesthesiology,

CARDIOVASCULAR PHYSIOLOGY
ventricular function, 306
CATECHOLAMINES, 548
epinephrine, 572
CELL PHYSIOLOGY
cell respiration, 524
respiratory burst, 524
CEREBROSPINAL FLUID SPINAL PRESSURE, 668
CHOLINESTERASE INHIBITORS
neostigmine, 303
CLOSTRIDIUM INFECTIONS
tetanus, 261
CLINICAL TRIALS, 653
controlled clinical trials, 605
randomized controlled trials, 605
COMPLICATIONS
nausea, 251, 615
pruritus, 346
vomiting, 251, 346, 615
CORONARY DISEASE, 322
COST AND COST ANALYSIS, 20
CRANIAL NERVES
lingual nerve, 264
mandibular nerve, 264
trigeminal nerve, 264
CRYOTHERAPY
cryosurgery, 189

DATA COLLECTION
questionnaires, 730
DEVICE
laryngeal mask airway, 593
DIAGNOSTIC TECHNIQUES, CARDIOVASCULAR
aortic blood flow velocity, 238
blood circulation time, 653
blood flow velocity, 653
cerebral blood flow velocity, 238
DIAGNOSTIC TECHNIQUES, NEUROLOGICAL
electroencephalography, 440
spinal puncture, 706
DIAGNOSTIC TECHNIQUES, POTASSIUM, 394
DIAGNOSTIC TECHNIQUES, SURGICAL
endoscopy, 530
laparoscopy, 530
DIGESTIVE SYSTEM
liver, 599
DRUG INTERACTIONS, 440
DRUGS
lidocaine, 166
midazolam, 166
propofol, 166

ECHOCARDIOGRAPHY
Doppler, 662
transoesophageal, 713
ECHOENCEPHALOGRAPHY
Doppler, 238
transcranial, 238
ultrasonography, 238
ECONOMICS, PHARMACEUTICAL, 20
EDUCATION
graduate, 730
medical, 730
ELECTROCONVULSIVE THERAPY
complications, 511
ENDARTERECTOMY, CAROTID, 13
ENDOSCOPY
laryngoscopy, 739
video-assisted, 739
ENDOTHELIUM, VASCULAR, 219
ENZYME INHIBITORS
caffeine, 632
cyclooxygenase inhibitors, 219
indomethacin, 219
N^G-nitroarginine methyl ester, 219
phosphodiesterase inhibitors, 632
ENZYMES
oxidoreductases, 366
peroxidase, 366
peroxidases, 366
EQUIPMENT
laryngeal mask airway, 166
EQUIPMENT AND SUPPLIES, 728
cuffed oropharyngeal airway, 264
disposable equipment, 264
EXCITATORY AMINO ACID ANTAGONISTS
dizocilpine, 295
ketamine, 295
EXTRACORPOREAL CIRCULATION
cardiopulmonary bypass, 93, 113, 576, 798
EQUIPMENT
breathing systems, 499
low-flow, 499

FIBRINOLYTIC AGENTS
heparin, 322
FORECASTING, 314
FREE RADICALS, 816
superoxides, 366
FREE RADICAL SCAVENGERS
nitric oxide, 599

GABA AGONISTS
baclofen, 261
GABA MODULATORS
diazepam, 261
GASES
carbon dioxide, 43
GASTROINTESTINAL SYSTEM,
intestines, 673
intestinal mucosa, 673
GLYCOSAMINOGLYCANS
heparin, 322
GLYCOSIDE HYDROLASES, 151
GYNAECOLOGICAL SURGICAL PROCEDURES, 440
hysterectomy, 530, 679

HAEMANGIOMA, CAPILLARY
anaesthesia, 330
cerebellar haemangioblastoma, 330
epidural anaesthesia, 330
haemangioblastoma, 330
HAEMATOMA
subdural, 295
HAEMODYNAMICS, 13
ageing, 572
blood flow velocity, 70
blood pressure, 75, 88, 572
blood volume, 100
cardiac output, 662
cardiac volume, 662
drug effects, 88
heart rate, 75
physiological processes, 572
stroke volume, 662
vasodilation, 219
HAEMOGLOBIN SC DISEASE
haemoglobin C disease, 137
thalassemia, 137
HAEMOGLOBINOPATHIES
sickle cell anaemia, 137
HAEMORRHAGE
blood loss, 679, 823
surgical, 679, 823
HAEMOSTASIS
blood coagulation, 208
fibrinolysis, 208
HEALTH EDUCATION
patient education, 620
HEART, 811
heart ventricle, 306
myocardium, 184, 219
oxygen, 219
ventricle, 184
HEART DISEASES
arrhythmia, 548
cardiac output, low, 770
HEART FUNCTION TESTS
electrocardiography, 805
HEART TRANSPLANTATION, 770
HOMEOSTASIS
water-electrolyte imbalance, 231
HYDROXIDES
hydroxyl radical, 811
HYPERTONIC SOLUTIONS
hypertonic, 100
saline solution, 100
HYPOTHERMIA, 467
HYPOXIA-ISCHAEMIA, BRAIN
brain, 93
hypoxia, 93

IMMUNE SYSTEM
granulocytes, 524
leucocytes, 151, 524
neutrophils, 366, 524
phagocytes, 366
INDICATOR DILUTION TECHNIQUES, 662
INFECTION
sepsis, 673
septicaemia, 79
INJECTIONS, SPINAL
intrathecal, 261
INFLAMMATION
animal, 303

INJURIES
lingual nerve, 264
INTENSIVE CARE, 548
INTRAOPERATIVE COMPLICATIONS, 540, 745
biodegradation, 43
INTUBATION, INTRATRACHEAL, 3, 51, 108, 384
laryngeal masks, 458, 471, 730, 739
INVESTIGATIVE TECHNIQUES
indicator dilution techniques, 653
intravital, 673
microscopy, 673
ION CHANNELS
sodium channels, 306
ION TRANSPORT
calcium signalling, 231
magnesium signalling, 231
ISCHAEMIA
brain ischaemia, 295

KIDNEY DISEASES
pyelitis, 548
pyelonephritis, 548
KIDNEY FAILURE, 79

LAPAROSCOPY
complication, 118
embolism, 118
LAPAROTOMY, 440
LARYNX
laryngospasm, 511
LEUKOCYTES, 816
granulocytes, 366
neutrophils, 366
LIGAND-ACTIVATED ION CHANNELS
$GABA_A$ receptor, 377
LIPID
non-esterified fatty acid, 113
LIVER DISEASES, 798
LIVER TRANSPLANTATION, 208
LUMINESCENCE
chemiluminescence, 816
LUNG DISEASES
adult, 401
pulmonary oedema, 189
respiratory distress syndrome, 401
LUNG NEOPLASMS
bronchiogenic, 774
carcinoma, 774

MAGNESIUM, 723
MEDICAL INFORMATICS, MEDICAL INFORMATICS APPLICATIONS, INFORMATION SYSTEMS, MANAGEMENT INFORMATION SYSTEMS
ambulatory care information systems, 314
MENTAL PROCESSES
awareness, 623
cognition, 623
learning, 623
memory (short-term), 623
recall, 623
META-ANALYSIS, 346
METABOLIC DISEASES
diabetes mellitus, 277
MICROBIOLOGICAL PHENOMENA
antibiosis, 687
MODELS, IMMUNOLOGICAL, 505
MONITORING
cardiovascular, 108
physiological, 511
MONITORING, PHYSIOLOGICAL
intraoperative, 423, 440
monitoring, 423, 440
MUSCLE RELAXANTS, CENTRAL
baclofen, 261
dantrolene, 632
diazepam, 261
MUSCULOSKELETAL DISEASES, MUSCULAR DISEASES
mitochondrial myopathies, 333
MUSCULOSKELETAL PHYSIOLOGY
muscle contraction, 261
muscle relaxation, 261
MYOCARDIAL ISCHAEMIA
myocardial infarction, 322
myocardial metabolism, 184
MYOCARDIAL REVASCULARISATION
coronary artery bypass, 100

NAUSEA
postoperative nausea and vomiting, 389
NEOPLASMS, VASCULAR TISSUE
haemangioma, 330

NEUROENDOCRINE TUMOURS
paraganglioma
phaeochromocytoma, 548
NEUROLEPTIC MALIGNANT SYNDROME, 632
NEUROMUSCULAR BLOCKING AGENTS
neuromuscular non-depolarizing agents, 333
vecuronium, 333
NEUROMUSCULAR BLOCKING DRUGS
rocuronium, 519
succinylcholine, 519
NEUROMUSCULAR NON-DEPOLARIZING AGENTS
atracurium, 599
NEUROTRANSMITTERS
biogenic amine neurotransmitters, 219
nitric oxide, 599
serotonin, 219
NEUROTRANSMITTERS AND NERUOTRANSMITTER AGENTS
biogenic amine neurotransmitters, 219
serotonin, 219
NEUROTRANSMITTERS, NEUROPEPTIDES
bradykinin, 219
NERVOUS SYSTEM DISEASES, NEUROCUTANEOUS SYNDROMES
von Hippel-Lindau disease, 330

OCULAR PHYSIOLOGY
blinking, 476
OPHTHALMOLOGICAL SURGICAL PROCEDURES
vitrectomy, 723
OPIOIDS
sufentanil, 450
OPTICS
fibre optics, 471
OXYGENATION
apnoeic, 51

PAEDIATRICS, 384, 739, 745
PAIN, 303
back pain, 763
headache, 668
postoperative, 346, 450
PAIN, POSTOPERATIVE, 59, 159, 679
PATHOLOGICAL CONDITIONS, SIGNS AND SYMPTOMS
fatigue, 530
PATHOLOGICAL PROCESSES
inflammation, 599
multiple organ failure, 277
stress, 505
PATHOLOGICAL PROCESSES, POSTOPERATIVE COMPLICATIONS
diagnosis, 632
epidemiology, 632
malignant hyperthermia, 632
PANCREATIC HORMONES
insulin, 277
PATIENT CARE, HOSPITALIZATION
patient readmission, 314
PATIENT SIMULATION, 51
PEROXIDES
hydrogen peroxide, 366
superoxides, 366
PHARMACOKINETICS, 79
PHARMACOLOGY
cibenzoline, 184
droperidol, 346
naloxone, 346
naltrexone, 346
PHOBIC DISORDERS, 554
PNEUMONIA, 358
aspiration, 511
POISONING
compound A, 43
gas poisoning, 43
POSITIVE-PRESSURE RESPIRATION, 358
POSTOPERATIVE PERIOD
anaesthesia recovery period, 13
POSTOPERATIVE COMPLICATIONS, 245, 358, 540
diagnosis, 632
epidemiology, 632
malignant hyperthermia, 632
PREGNANCY, 261
PROCALCITONIN, 79
PROFESSIONAL PRACTICE
medical, 730
practice management, 730
PROSTAGLANDINS
iloprost, 770
synthetic, 770
PROSTHESIS
vascular, 245

PROSTHESES AND IMPLANTS
stents, 759
PSYCHOMOTOR PERFORMANCE
task performance and analysis, 755
PULMONARY GAS EXCHANGE
ventilation-perfusion ratio, 358

RADICULOPATHY
lumbar, 70
RANDOMIZED CONTROLLED TRIALS, 389
RATS, 599, 673
REFERENCE VALUES, 713
REFLEX, OCULOCARDIAC, 723
RENAL FAILURE, 171
RESPIRATION
pulmonary ventilation, 458
RESPIRATION, ARTIFICIAL
intermittent positive-pressure ventilation, 401
low-frequency jet ventilation, 407
positive-pressure respiration, 401
positive-pressure ventilation, 774
RESPIRATION DISORDERS
adult, 548
respiratory distress syndrome, 548
RESPIRATION SPONTANEOUS, 593
RESPIRATORY INSUFFICIENCY
airway obstruction, 766
hypoventilation, 774
RESPIRATORY MECHANICS
aspiration, 511
lung compliance, 774
respiratory dead space, 401
RESPIRATORY SYSTEM
bronchoscopy, 394
lung, 540
RHEOLOGY
laser Doppler flowmetry, 70
RISK FACTORS, 322
RODENTIA
guinea pigs, 219

SEDATIVES, NONBARBITURATE
diazepam, 261
SIGNS AND SYMPTOMS, RESPIRATORY
anoxaemia, 774
anoxia, 774
SKIN ABNORMALITIES
epidermolysis bullosa, 745
SKULL
occipital bone, 829
SLEEP DISORDERS
pain, 36
polysomnography, 36
SPECIALITIES, SURGICAL
orthopaedics, 823
surgery, 540
thoracic surgery, 113, 407, 576
SPECTROPHOTOMETRY
atomic absorption, 231
SPINAL NERVE ROOTS, 70
STUDY DESIGN
cross-over design, 36
randomized controlled trial, 36
SULPHONYLUREA COMPOUNDS
glyburide, 219, 811
SURGERY, 245, 605
abdomen, 358
abdominal, 29
cholecystectomy, 118
hysterectomy, 251
laparoscopic gynaecological surgery, 615
SURGICAL PROCEDURES, OPERATIVE
ambulatory surgical procedures, 314, 620
intraoperative, 423
monitoring, 423
SURGICAL PROCEDURES, OPERATIVE, EXTRACORPOREAL CIRCULATION
cardiopulmonary bypass, 401
SURGICAL PROCEDURES OPERATIVE, OPHTHALMOLOGICAL SURGICAL PROCEDURES
intraocular, 333
lens implantation, 333
SYMPATHETIC NERVOUS SYSTEM, 75
neostigmine, 257
pharmacology, 257

THERAPEUTICS
haemodilution, 823
THORACIC SURGERY, 113, 407, 576
TOXICITY
mepivacaine, 171

TRACHEA, 189
TRANSFUSION, 137
TRYPTAMINES, SEROTONIN
5-hydroxytryptamine, 219

ULTRASONOGRAPHY
colour, 706
Doppler, 653, 706
transcranial, 653
UNCONSCIOUSNESS, SYNCOPE
syncope, 554
vasovagal, 554
URINARY INCONTINENCE, STRESS, 755

VASCULAR DISEASES, ISCHAEMIA
colitis, 585
ischaemic, 585
VASODILATOR AGENTS, 219
alprostadil, 805
nicardipine, 805
nitric oxide, 572
nitroglycerin, 805
prostaglandins E, 805
VENTILATORS MECHANICAL
negative-pressure, 394
ventilators, 394
VENTRICULAR FUNCTION, 184
left, 713
VITAL STATISTICS
morbidity, 540
morality, 540
VOLATILE ANAESTHETICS
sevoflurane, 377

XANTHINES
caffeine, 632

Subject Index

A comparison of cerebrospinal fluid pressure and block height following spinal anaesthesia in the right and left lateral position in pregnant women undergoing Caesarean section (Kapur & Grimsehl) 2001 **18**, 668–672

A comparison of five solutions of local anaesthetics and/or sufentanil for continuous, postoperative epidural analgesia after major urological surgery (Hübler *et al.*) 2001 **18**, 450–457

A comparison of remifentanil and fentanyl in patients undergoing carotid endarterectomy (Doyle *et al.*) 2001 **18**, 13–19

A randomized controlled double-blind trial comparing piritramide and morphine for analgesia after hysterectomy (Döpfmer *et al.*) 2001 **18**, 389–393

Acute respiratory acidosis does not increase plasma potassium in normokalaemic anaesthetized patients. A controlled randomized trial (Natalini *et al.*) 2001 **18**, 394–400

Anaesthesia for children with epidermolysis bullosa: a review of 20 years' experience (Iohom & Lyons) 2001 **18**, 745–754

Anaesthetic management of the airway in The Netherlands: a postal survey (Borg *et al.*) 2001 **18**, 730–738

Antimicrobial activity of ropivacaine and other local anaesthetics (Aydin *et al.*) 2001 **18**, 687–694

Assessment of cardiac preload by indicator dilution and transoesophageal echocardiography (Buhre *et al.*) 2001 **18**, 662–667

Blink duration as a measure of low-level anaesthetic sedation (Jandziol *et al.*)2001 **18**, 476–484

Book reviews

, Anaesthesia & Intensive Care in Hong Kong. Evolution & Present Position (Lett & Lo Joy-Wah) 2001 **18**, 127

, Clinicians' Guide to Pain (Lovel & Hassan) 2001 **18**, 560

, Critical Care Focus Volume 1: Renal Failure (Galley) 2001 **18**, 127–128

, Critical Care Focus Volume 4: Endocrine Disturbance (Galley) 2001 **18**, 417

, Evidence Based Resource in Anaesthesia and Analgesia (Tramèr) 2001 **18**, 490

, Handbook of Clinical Anaesthesia, 4th edition (Barash, Cullen & Stoelting) 2001 **18**, 782

, Local and Regional Anaesthesia (Rosenberg) 2001 **18**, 626

, New Balanced Anaesthesia (Mori, Ohmura, Toyooka, Hatano, Shingu & Fuduka) 2001 **18**, 341

, Obstetric Anesthesia Handbook, 3rd edn (Datta) 2001 **18**, 626–627

, Practical Intensive Care Medicine. Problem Solving in the ICU (Corke) 2001 **18**, 418

, Preoperative Assessment (Series: Fundamentals of Anaesthesia and Acute Medicine) (Cashman) 2001 **18**, 700–701

, State-of-the-Art Technology in Anaesthesia and Intensive Care (Ikeda, Doi & Kazama) 2001 **18**, 342

, Statistical Methods for Anaesthesia and Intensive Care (Myles & Gin) 2001 **18**, 701

, The Association of Anaesthetists of Great Britain and Ireland 1932-1992 and the Development of the Specialty of Anaesthesia. Sixty Years of Progress and Achievement in the Context of Scientific, Political and Social Change (Boulton) 2001 **18**, 782–784

Changes in jugular bulb oxygenation in patients undergoing warm coronary artery bypass surgery (34–37°C) (Shaaban-Ali *et al.*) 2001 **18**, 93–99

Clinical letters

, Amniotic fluid embolism and isolated coagulopathy: atypical presentation of amniotic fluid embolism (Awad & Shorten) 2001 **18**, 410–413

, Anaesthesia for stent graft repair of thoraic aneurysm and coarctation of the aorta (Strachan & Edwards) 2001 **18**, 759–762

, 'Awareness' and 'recall' during emergence from general anaesthesia (Ho) 2001 **18**, 623–625

, Do patient information booklets increase perioperative anxiety? (Gillies & Baldwin) 2001 **18**, 620–622

, Epidural anaesthesia for Caesarean section in a patient with von Hippel-Lindau disease (Demiraran *et al.*) 2001 **18**, 330–332

, Fatal form of phaeochromocytoma presenting as acute pyelonephritis (Winter *et al.*) 2001 **18**, 548–553

, General anaesthesia in a man with mitochondrial myopathy undergoing eye surgery (Wisely & Cook) 2001 **18**, 333–335

, Hypoxic brain damage after intramuscular self-injection of disclofenac for acute back pain (Schabitz *et al.*) 2001 **18**, 763–765

, Intrathecal baclofen for severe tetanus in a pregnant woman (Engrand *et al.*) 2001 **18**, 261–263

, Jet ventilation via a Univent tube for sleeve pneumonectomy (Williams & Gothard) 2001 **18**, 407–409

, Lingual nerve injury after use of a cuffed oropharyngeal airway (Kadry & Popat) 2001 **18**, 264–266

© 2001 European Academy of Anaesthesiology

, Malignant hyperinflation of the nondependent lung during chest surgery (Yusim *et al.*) 2001 **18**, 774–777
, Negative pressure pulmonary oedema after cryotherapy for tracheal obstruction (Gupta *et al.*) 2001 **18**, 189–191
, Propofol as a continuous infusion during cardiopulmonary bypass does not affect changes in serum free fatty acids (Inoue *et al.*) 2001 **18**, 113–117
, Successful resuscitation after catastrophic carbon dioxide embolism during laparoscopic cholecystectomy (Haroun-Bizri & ElRassi) 2001 **18**, 118–121
, The anaesthetic management of a case of severe upper airways obstruction due to an enlarging subglottic benign polyp (Vadodaria & Cooper) 2001 **18**, 766–769
, Treatment of a case of acute right heart failure by inhalation of iloprost, a long-acting prostacyclin analogue (Langer *et al.*) 2001 **18**, 770–773
, Vasovagal syncope and anaesthetic practice (Hosie *et al.*) 2001 **18**, 554–557

Colour Doppler imaging of the interspinous and epidural space (Grau *et al.*) 2001 **18**, 706–712
Comparative analysis of costs of total intravenous anaesthesia with propofol and remifentanil vs. balanced anaesthesia with isoflurane and fentanyl (Epple *et al.*) 2001 **18**, 20–28
Comparison of the effects of clonidine and hydroxyzine on haemodynamic and catecholamine reactions to microlaryngoscopy (Boussofara *et al.*) 2001 **18**, 75–78

Correspondence

, A difficult intubation made more difficult (Brownlow & Wallace) 2001 **18**, 416
, A large floppy epiglottis as a cause of difficult tracheal intubation (Asai & Shingu) 2001 **18**, 339–340
, A reply (Altintas *et al.*) 2001 **18**, 124
, A reply (Khan) 2001 **18**, 485–486
, A reply (Park & Gunning) 2001 **18**, 65
, Anaesthesia and non-physician anaesthetists: what are the real needs for which kind of health policy? (Gentili) 2001 **18**, 336–337
, Anaesthesia for the professional singer (Bullough & Craig) 2001 **18**, 414–415
, Association between increased 5-HIAA plasma concentrations and postoperative nausea and vomiting in patients undergoing general anaesthesia for surgery (Läer *et al.*) 2001 **18**, 833–835
, Control of central venous catheter position (Ruschulte *et al.*) 2001 **18**, 485
, Effects of hydroxyethylstarch infusion on drug protein binding in critically ill patients (Bouchut *et al.*) 2001 **18**, 558–559
, From which countries do chairpersons and invited speakers at important anaesthesia and intensive care meetings come? (Boldt & Maleck) 2001 **18**, 194–196
, High spinal block for bronchospasm (Kotsev & Morais) 2001 **18**, 486
, Inadvertent infusion of a high dose of potassium chloride via a thoracic epidural catheter (Litz *et al.*) 2001 **18**, 697–699
, Is PEEP, truly a PEEP? (Puri) 2001 **18**, 125
, Non-physician anaesthetists and who should provide anaesthesia? (Feiss) 2001 **18**, 336
, Non-physician anaesthetists: can we agree on their role in Europe? (Péronnet) 2001 **18**, 338
, Observations with the TOF-Watch/Guard® on train-of-four fade during onset of relaxation (Motamed *et al.*) 2001 **18**, 267–269
, Pericardial tamponade as a delayed complication of central venous catheterization (Schummer & Schummer) 2001 **18**, 780–781
, Pericardial tamponade as a delayed lethal complication of central venous catheterization (Yavaşcaoğlu *et al.*) 2001 **18**, 487–489
, Photoshoot – October 2000 (Adams) 2001 **18**, 270
, Postoperative analgesia in children: comparison of bupivacaine with a mixture of bupivacaine and alfentanil (Özcengiz *et al.*) 2001 **18**, 695–696
, Rapacuronium for neuromuscular blockade in two myasthenic patients undergoing trans-sternal thymectomy (Baraka *et al.*) 2001 **18**, 778–780
, Rapid glycine absorption secondary to pressurization of irrigation fluid during transcervical endometrial resection (Shah *et al.*) 2001 **18**, 197–198
, Severe life threatening reaction to Haemaccel® in a patient with bronchial asthma (Kathirvel *et al.*) 2001 **18**, 122–123
, The effect of rocuronium on intraocular pressure: a comparison with succinylcholine (Mitra *et al.*) 2001 **18**, 836–838
, Tracheal cartilage fracture with the Blue Rhino Ciaglia percutaneous tracheostomy system (Edwards & Williams) 2001 **18**, 487
, Use of a metal tracheostomy tube for laser surgery to a subglottic stenosis (Asai *et al.*) 2001 **18**, 126
, Use of 10% lidocaine in the cuff of the endotracheal tube (Stack & Harmon) 2001 **18**, 124
, Use of remifentanil for major abdominal surgery (Nagels & Absalom) 2001 **18**, 64

Disturbances in hepatocellular function during cardiopulmonary bypass using propofol anaesthesia (Okano *et al.*) 2001 **18**, 798–804

Dizocilpine but not ketamine reduces the volume of ischaemic damage after acute subdural haematoma in the rat (Uchida *et al.*) 2001 **18**, 295–302

Editorials

, CONSORT, QUOROM, and structured abstracts – new rules for authors, new tools for readers (Tramèr) 2001 **18**, 1–2

, Delta sleep-inducing peptide (Pollard & Pomfrett) 2001 **18**, 419–422

, Noninvasive bioelectrical neuromonitoring in anaesthesia and critical care (Litscher & Schwarz) 2001 **18**, 785–788

, Predonation of autologous blood is jeopardized by new regulations (Frietsch & Lorentz) 2001 **18**, 629–631

, Sentinel lymph node biopsy: anaesthetic implications (Cashman) 2001 **18**, 273–276

, Some is good and more is bad: getting the dose right in the critically ill (Park & Clarke) 2001 **18**, 343–345

, Speciality status for Intensive Care Medicine? (Burchardi) 2001 **18**, 67–69

, Transfusion strategy (Whitaker) 2001 **18**, 493–494

, The economics of anaesthesia (Elliot) 2001 **18**, 205–207

, The European Union of Medical Specialists and speciality training (de Lange) 2001 **18**, 561–562

, The future of anaesthesiology (Booij) 2001 **18**, 131–136

, Why do anaesthesia journals publish editorials? (Goodman) 2001 **18**, 703–705

Effects of cibenzoline on cardiac function and metabolism in the rat heart–lung preparation (Furuya *et al.*) 2001 **18**, 184–188

Effects of glibenclamide on hydroxyl radical formation in the postischaemic reperfused heart with or without inhalation anaesthetics (Kashimoto *et al.*) 2001 **18**, 811–815

Effects of temperature on partial thromboplastin time in heparinized plasma *in vitro* (Felfernig *et al.*) 2001 **18**, 467–470

Endovascular treatment of abdominal aortic aneurysms: is there a benefit regarding postoperative outcome? (Bertrand *et al.*) 2001 **18**, 245–250

Factors determining length of stay of surgical day-case patients (Junger *et al.*) 2001 **18**, 314–321

Fibreoptic views through the laryngeal mask and the intubating laryngeal mask (McNeillis *et al.*) 2001 **18**, 471–475

Gum elastic bougie, capnography and apnoeic oxygenation (Millar *et al.*) 2001 **18**, 51–53

High doses of mepivacaine for brachial plexus block in patients with end-stage chronic renal failure. A pilot study (Rodríguez *et al.*) 2001 **18**, 171–176

Human cardiac sodium channels are affected by pentobarbital (Wartenberg *et al.*) 2001 **18**, 306–313

Hypotension during endotoxemia in aged humans (Krabbe *et al.*) 2001 **18**, 572–575

Hypertonic saline (7.5%) after coronary artery bypass grafting (Järvelä & Kaukinen) 2001 **18**, 100–107

Inflammatory liver disease shortens atracurium-induced neuromuscular blockade in rats (Mayer *et al.*) 2001 **18**, 599–604

Influence of aortic blood flow velocity on changes of middle cerebral artery blood flow velocity during isoflurane and sevoflurane anaesthesia (Holzer *et al.*) 2001 **18**, 238–244

Interaction of lidocaine with reactive oxygen and nitrogen species (Gunaydin & Demiryurek) 2001 **18**, 816–822

Interscalene brachial plexus anaesthesia with small volumes of ropivacaine 0.75%: effects of the injection technique on the onset time of nerve blockade (Fanelli *et al.*) 2001 **18**, 54–58

Intrathecal anaesthesia alters intracellular Ca^{2+}/Mg^{2+} homeostasis in the spinal cord neurones of experimental rats (Bahar *et al.*) 2001 **18**, 231–237

Intravenous ketamine attenuates arterial pressure changes during the induction of anaesthesia with propofol (Furuya *et al.*) 2001 **18**, 88–92

Ketamine and propofol differentially inhibit human neuronal K^+ channels (Friederich *et al.*) 2001 **18**, 177–183

Ketamine–midazolam total intravenous anaesthesia for prolonged abdominal surgery (Atallah *et al.*) 2001 **18**, 29–35

Lack of peripheral analgesia mediated by intraplantar administration of neostigmine in carrageenan-injected rats (Bouaziz *et al.*) 2001 **18**, 303–305

Laparoscopically assisted vaginal and abdominal hysterectomy: comparison of postoperative pain, fatigue and systemic response. A case-control study (Rorarius *et al.*) 2001 **18**, 530–539

Limited effectiveness of intraoperative autotransfusion in major back surgery (Abildgaard *et al.*) 2001 **18**, 823–828
Low-flow anaesthesia with desflurane: kinetics during clinical procedures (Johansson *et al.*) 2001 **18**, 499–504

Magnesium as part of balanced general anaesthesia with propofol, remifentanil and mivacurium: a double-blind, randomized prospective study in 50 patients (Schulz-Stubner *et al.*) 2001 **18**, 723–729
Management and outcome of patients undergoing thoracic surgery in a regional chest medical center (Licker *et al.*) 2001 **18**, 540–547
Methohexital affects neutrophil (PMN) dynamic free amino acid pool and immune functions *in vitro* (Mühling *et al.*) 2001 **18**, 366–376
Midazolam reduces the dose of propofol required for induction of anaesthesia and laryngeal mask airway insertion (Gill *et al.*) 2001 **18**, 166–170
Minimal-flow anaesthesia with controlled ventilation: comparison between laryngeal mask airway and endotracheal tube (Hönemann *et al.*) 2001 **18**, 458–466
Minimal flow sevoflurane and isoflurane anaesthesia and impact on renal function (Goeters *et al.*) 2001 **18**, 43–50
Morbidity in electroconvulsive therapy (Tecoult & Nathan) 2001 **18**, 511–518

Neostigmine added to lidocaine axillary plexus block for postoperative analgesia (Van Elstraete *et al.*) 2001 **18**, 257–260

Optimizing peroperative compliance with PEEP during upper abdominal surgery: effects on perioperative oxygenation and complications in patients without preoperative cardiopulmonary dysfunction (Wetterslev *et al.*) 2001 **18**, 358–365

Painful regional anaesthesia induces an immunological stress reaction: the model of retrobulbar anaesthesia (Heine *et al.*) 2001 **18**, 505–510
Perineural injection to nerve root and radicular blood flow: a clinical study during spinal surgery (Fukusaki *et al.*) 2001 **18**, 70–74
Perioperative hypothermia and postoperative opioid requirements (Persson & Lundberg) 2001 **18**, 679–686
Pharmacodynamic interaction of nitrous oxide with sevoflurane, desflurane, isoflurane and enflurane in surgical patients: measurements by effects on EEG median power frequency (Röpcke *et al.*) 2001 **18**, 440–449
Pilot study with air-automated sigmoid capnometry in abdominal aortic aneurysm surgery (Lebuffe *et al.*) 2001 **18**, 585–592
Placebo-controlled comparison of dolasetron and metoclopramide in preventing postoperative nausea and vomiting in patients undergoing hysterectomy (Piper *et al.*) 2001 **18**, 251–256
Postoperative titration of intravenous morphine (Aubrun *et al.*) 2001 **18**, 159–165
Pre-emptive efficacy of epidural fentanyl in elective abdominal surgery (Esmaoğlu *et al.*) 2001 **18**, 59–63
Pressure-controlled inverse ratio ventilation after cardiac surgery (Smith & Fletcher) 2001 **18**, 401–406
Prevention of postoperative nausea and vomiting after laparoscopic gynaecological surgery. Combined antiemetic treatment with tropisetron and metoclopramide vs. metoclopramide alone (Papadimitriou *et al.*) 2001 **18**, 615–619

Quality of anaesthesia for insertion of tension-free vaginal tape using local analgesia and sedation (Norris *et al.*) 2001 **18**, 755–758

Reference values for left ventricular function in subjects under general anaesthesia and controlled ventilation assessed by two-dimensional transoesophageal echocardiography (Skarvan *et al.*) 2001 **18**, 713–722
Reliability of cerebral blood flow measurements by transcerebral double-indicator dilution technique (Mielck *et al.*) 2001 **18**, 653–661
Remifentanil and fentanyl during anaesthesia for major abdominal and gynaecological surgery. An open, comparative study of safety and efficacy (Sneyd *et al.*) 2001 **18**, 605–614

Reviews

, Anaesthetic care for sickle cell disease (Frietsch *et al.*) 2001 **18**, 137–150
, Haemostatic disorders during liver transplantation (Ozier *et al.*) 2001 **18**, 208–218
, Malignant hyperthermia (Wappler) 2001 **18**, 632–652
, Management of difficult intubation (Janssens & Hartstein) 2001 **18**, 3–12
, Monitoring in neuroanaesthesia: update of clinical usefulness (Fbregas & Gomar) 2001 **18**, 423–439
, Perioperative care of diabetic patients (Scherpereel & Tavernier) 2001 **18**, 277–294
, Pharmacological control of opioid-induced pruritus: a quantitative systematic review of randomized trials (Kjellberg & Tramèr) 2001 **18**, 346–357

, Transfusion strategy (Van der Linden) 2001 **18**, 495–498

Risk factors for fatal myocardial infarction after coronary bypass graft surgery (Ranucci *et al.*) 2001 **18**, 322–329

Sevoflurane and nitrous oxide anaesthesia suppresses heart rate variabilities during deliberate hypotension (Sato *et al.*) 2001 **18**, 805–810

Sevoflurane potentiates and blocks GABA-induced currents through recombinant $\alpha_1\beta_2\gamma_2$ $GABA_A$ receptors: implications for an enhanced GABAergic transmission (Hapfelmeier *et al.*) 2001 **18**, 377–383

Small doses of remifentanil or sufentanil for blunting cardiovascular changes induced by tracheal intubation: a double-blind comparison (Casati *et al.*) 2001 **18**, 108–112

Special article

, Professor Witold Jurczyk MD PhD on his 70th birthday: an appreciation (Szulc) 2001 **18**, 192–193

Sudden unconsciousness during a lesser occipital nerve block in a patient with the occipital bone defect (Okuda *et al.*) 2001 **18**, 829–832

The effect of different doses of propofol on tracheal intubating conditions without muscle relaxant in children (de Fátima de Assunção Braga *et al.*) 2001 **18**, 384–388

The effect of lidocaine on neutrophil respiratory burst during induction of general anaesthesia and tracheal intubation (Swanton *et al.*) 2001 **18**, 524–529

The effects of sepsis on gut mucosal blood flow in rats (Sielenkämper *et al.*) 2001 **18**, 673–678

The effects of two single doses of tramadol on sleep: a randomized, cross-over trial in healthy volunteers (Walder *et al.*) 2001 **18**, 36–42

The influence of fentanyl vs. s-ketamine on intubating conditions during induction of anaesthesia with etomidate and rocuronium (Ledowski & Wulf) 2001 **18**, 519–523

The influence of intravenous anaesthetics on the activity of enzymes released from polymorphonuclear leucocytes *in vitro* (Krumholz *et al.*) 2001 **18**, 151–158

The laryngeal mask and VBM laryngeal tube compared during spontaneous ventilation. A pilot study (Miller *et al.*) 2001 **18**, 593–598

The midazolam-induced paradox phenomenon is reversible by flumazenil. Epidemiology, patient characteristics and review of the literature (Weinbroum *et al.*) 2001 **18**, 789–797

The plasma elimination rate and urinary secretion of procalcitonin in patients with normal and impaired renal function (Meisner *et al.*) 2001 **18**, 79–87

Training Guidelines in Anaesthesia of the European Board of Anaesthesiology Reanimation and Intensive Care (European Board of Anaesthesiology) 2001 **18**, 563–571

Use of the intubating laryngeal mask in children: an evaluation using video-endoscopic monitoring (Weiss *et al.*) 2001 **18**, 739–744

Videotape reviews

, Anaesthesia for morbid Obesity (Leeds University Television) 2001 **18**, 199

, Epidural techniques in Childbirth (Dresner) 2001 **18**, 199–200

, Percutaneous Dilational Tracheostomy in the ICU (Leeds University Television) 2001 **18**, 128

Volatile anaesthetics restore bradykinin and serotonin-induced coronary vasodilation after blocking nitric oxide synthase: lack of anaesthetic effects on K_{ATP} channels and prostaglandin pathways (Stowe *et al.*) 2001 **18**, 219–230

What factors are associated with hyperlactatemia after cardiac surgery characterized by well-maintained oxygen delivery and a normal postoperative course? A retrospective study (Inoue *et al.*) 2001 **18**, 576–584